DEFICE TO THE PARTY OF THE PART	•	<b>%</b>
Form PTO 1449 US Department of Commerce Patent and	ATTY DOCKET NO: P-LJ 4752	SERAN, NO. 09/86/ 921
Trademark Office	APPLICANT: Reed et al	3200,
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: May 23, 2001	GRONP: Unaskigned

## U.S. PATENT DOCUMENTS

EXAM. INITIALS		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILI NG DATE
A	1	5,223,409	06/29/93	Ladner et al.	435	69.7	03/0 1/91
				·			
					<u></u>		


#### FOREIGN PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRAN SLAT ION (YES /NO)

# OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)


1	Ahmad et al., "CRADD, a novel human apoptotic adaptor molecule for caspase-2, and FasL/tumor necrosis factor receptor-interacting protein RIP," <a href="Cancer Res.">Cancer Res.</a> 57:615-619 (1997).
N	Altschul et al., "Gapped Blast and PSI-Blast: a new generation of protein database search programs," <u>Nucleic Acids Res.</u> , 25:3389-3402 (1997).

EXAMINER	DATE CONSIDERED
	1/2/10
·	<u> </u>




N		Bertin et al., "Human CARD4 Protein is a Novel CED-4/Apaf-1 Cell Death Family Member that Activates NF-kB*," <u>J. Biol. Chem.</u> 274:12955-12958 (1999).
		DiDonato et al., "A cytokine-responsive IkB kinase that activates the transcription factor NF-kB," Nature 388:548-554 (1997).
		Ellerby et al., "Anti-cancer activity of targeted pro-apoptotic peptides," Nature Med. 5:1032-1038 (1999).
Fletcher et al., "A synthetic inhibitor of interleukin-1 k converting enzyme prevents endotoxin-induced interleukin-1 production in vitro and in vivo," J. Interferon Cytokine F		Fletcher et al., "A synthetic inhibitor of interleukin-1 beta converting enzyme prevents endotoxin-induced interleukin-1 beta production in vitro and in vivo," J. Interferon Cytokine Res., 15:243-248 (1995).
		Gregoriadis, Liposome Technology, Vols. I to III, 2nd ed., CRC Press. Boca Raton FL (1993). (Table of contents only)
		Hofmann et al., "The CARD domain: a new apoptotic signalling [sic] motif," Trends Biochem. Sci. 22:155-156 (1997).
		Holinger et al., "Bak BH3 Peptides Antagonize Bcl-x, Function and Induce Apoptosis through Cytochrome c-independent Activation of Caspases," J. Biol. Chem. 274:13298-13304 (1999).
		Inohara et al., "Nodl, an Apaf-1-like Activator of Caspase-9 and Nuclear Factor-kB," J. Biol. Chem. 274:14560-14567 (1999).
		Li et al., "Cytochrome c and dATP-Dependent Formation of Apaf- 1/Caspase-9 Complex Initiates an Apoptotic Protease Cascase," Cell 91:479-489 (1997).
/	$\overline{\mathcal{V}}$	Neufeld and Rubin, "The Drosophila peanut Gene Is Required for Cytokinesis and Encodes a Protein Similar to Yeast Putative Bud Neck Filament Proteins," Cell 77:371-379 (1994).

EXAMINER	DATE CONSIDERED	1/21/04



	<del></del>
N	Ogura et al., "Nod2, a Nod1/Apaf-1 family member that is restricted to monocytes and activates NF-kB", <u>J. of Biol. Chem.</u> 276 (7):4812-4818 (2001).
	Rano et al., "A combinatorial approach for determining protease specificities: application to interleukin-1 beta converting enzyme (ICE)," Chem. Biol., 4:149-155 (1997).
ij	Rodriguez et al., "Dark is a <i>Drosophila</i> homologue of Apaf-1/CED-4 and functions in an evolutionarily conserved death pathway,"  Nature Cell Biol. 1:272-279 (1999).
	Rothe et al., "The TNFR2-TRAF Signaling Complex Contains Two Novel Proteins Related to Baculoviral Inhibitor of Apoptosis Proteins," Cell 83:1243-1252 (1995).
/ 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Rotonda et al., "The three-dimensional structure of apopain/CPP32, a key mediator of apoptosis," <u>Nature Struc. Biol.</u> 3:619-625 (1996).
	Saleh et al., "Cytochrome c and dATP-mediated Oligomerization of Apaf-1 Is a Prerequisite for Procaspase-9 Activation," <u>J. Biol. Chem.</u> 274:17941-17945 (1999).
	Schwarze et al., "In Vivo Protein Transduction: Delivery of a Biologically Active Protein into the Mouse," <u>Science</u> 285:1569-1572 (1999).
1	Tatusova and Madden, "Blast 2 Sequences, a new tool for comparing protein and nucleotide sequences," <u>FEMS Microbiol Lett.</u> 174:247-250 (1999).
	Thome et al., "Identification of CARDIAK, a RIP-like kinase that associates with caspase-1," <a href="Curr.Biol.8:885-888">Curr.Biol.</a> 8:885-888 (1998).

EXAMINER	DATE CONSIDERED
	1/11/3 4



N		Thornberry, Nancy A., "Caspases: key mediators of apoptosis," <u>Chemistry and Biology</u> 5:R97-R103 (1998).
		Thornberry et al., "A novel heterodimeric cysteine protease is required for interleukin-1 beta processing in monocytes," <u>Nature</u> , 356:768-774 (1992).
		Thornberry and Molineaux, "Interleukin-1 beta converting enzyme: a novel cysteine protease required for IL-1 beta production and implicated in programmed cell death," <a href="Protein Sci.">Protein Sci.</a> , 4:3-12 (1995).
		Tschopp et al., "Inhibition of Fas death signals by FLIPs," <u>Curr.</u> <u>Op. Immunol.</u> 10:552-558 (1998).
		van der Biezen and Jones, "The NB-ARC domain: a novel signalling [sic] motif shared by plant resistance gene products and regulators of cell death in animals," <u>Curr. Biol.</u> 8:R226-R227 (1998).
		Vocero-Akbani et al., "Killing HIV-infected cells by transduction with an HIV protease-activated caspase-3 protein," Nature Med. 5:29-33 (1999).
		Willis et al., "Bc110 is Involved in t(1;14)(p22;q32) of MALT B Cell Lymphoma and Mutated in Multiple Tumor Types," Cell 96:35-45 (1999)
		Yuan and Horvitz, "The <i>Caenorhabditis elegans</i> cell death gene <i>ced-</i> 4 encodes a novel protein and is expressed during the period of extensive programmed cell death," <u>Development</u> 116:309-320 (1992).
V		Zou et al., "Apaf-1, a Human Protein Homologous to C. elegans CED-4, Participates in Cytochrome c-Dependent Activation of Caspase-3," Cell 90:405-413 (1997).

EXAMINER	DATE CONSIDERED 1/1/09

O' REEL SE		RECE
Form PTO 1449 Commerce Patent	ATTY DOCKET NO: ECHO	SERIAL NO 09/868,921
and Trademark Office	APPLICANT: Reed et al.	1800/20
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: May 23, 2001	GROUP:

N	Zou et al., "An APAF-1·Cytochrome c Multimeric Complex is a Functional Apoptosome that Activates Procaspase-9," <u>J. Biol. Chem.</u> 274:11549-11556 (1999)
	GenBank: AC008810
	GenBank: AC007728
	GenBank: NT-002476
	GenBank: AC010968.
	GenBank: AP001153
	GenBank: AC022468
	GenBank: AP000799 (withdrawn)
	GenBank: AC023068
	GenBank: W58453
	GenBank: AA257158
	GenBank: AA046000
	GenBank: AW085161
	GenBank: AI189838
	GenBank: AA418021
	GenBank: AA046105
	GenBank: W58488
	GenBank: AA418193
N	GenBank: AA257066

EXAMINER DATE CONSIDERED 1/2/109	1/1/109	
----------------------------------	---------	--

	Z.	Ch CC, VA
Form PTO 1449 Us Department of Commerce Patent	ATTY DOCKET NO: P-LJ 4752	SMPIAL NO 09/884,921
and Trademark Office	APPLICANT: Reed et al.	200 <sub>2</sub> 200
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: May 23, 2001	GROUP: Unassigned

N	GenBank: BAA14061.1
~	GenBank: AP000658
<b> </b>	

EXAMINER V	DATE CONSIDERED 1 1/4 9
	( /~/ /~ /

				<del>-</del> =-
₩ STO 1449		ATTY DOCKET NO: P-LJ 4752	SERIAL NO. 09/864,921	_ 4
No Promise	and Trademark Office	APPLICANT: Reed et al.		NTER 1
INFORMATION DI		FILING DATE: May 23, 2001	GROUP: 1631	600/290

#### U.S. PATENT DOCUMENTS

EXAM. INITIALS		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE
						<u> </u>	

## FOREIGN PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION (YES/NO)
V	WO 99/40102	8/12/99	PCT			
M	 WO 01/18042	3/15/01	PCT			
~	 WO 01/00826	1/4/01	PCT			
		L			l	

# OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)

1	Hofmann and Bucher, "The card domain: a new apoptotic signalling motif," TIBS, 22:155-156 (1997).
	Genbank accession no. AC025758
	Genbank accession no. AC016492
V	Genbank accession no. AC026732

EXAMINER	DATE CONSIDERED 1/1/07
l	1

NOV 2 1 2002 W			
1449	US Department of	ATTY DOCKET NO:	SERIAL NO.
	Commerce Patent	P-LJ 4752	09/864,921
	and Trademark Office	APPLICANT: Reed et al	
INFORMATION DI		FILING DATE:	GROUP:
STATEMENT BY A		May 23, 2001	1631

# U.S. PATENT DOCUMENTS

EXAM. INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE
					RE	CEIVED
					NO	<b>∀ 2 2</b> 2002

## FOREIGN PATENT DOCUMENTS

# TECH CENTER 1600/2900

EXAM. INITIALS	 DOCUMENT NUMBER	DATE	COUNTRY	CLAS	s	SUB- CLASS	TRANSLATION (YES/NO)
V	WO 96/12016 ·	04/25/96 \	PCT				
	WO 99/40102 ·	08/12/99	PCT				
	WO 99/40102 (corrected)	08/12/99	PCT				
	WO 01/00826	01/04/01	PCT				
	WO 01/18042	03/15/01	PCT				
	WO 01/30971'	05/03/01	PCT				
V	WO 01/66690,	09/13/01	PCT				
U	 WO 01/72822°	10/04/01	PCT				

EXAMINER	DATE CONSIDERED // My
----------	-----------------------

/	6	ĺΡ	E	6)
. BITE	HOY	2 1	2002	TOP THE
7			4	7

Page 2 of 3

I MALLEN TO THE PARTY OF THE PA	-	ATTY DOCKET NO: P-LJ 4752	SERIAL NO. 09/864,921
and T	Trademark ce	APPLICANT: Reed et al.	
INFORMATION DISCLOSU STATEMENT BY APPLICA		FILING DATE: May 23, 2001	GROUP: 1631

# OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)

	N	Bertin et al., "Human CARD4 Protein Is a Novel CED=4/Apaf-1 Cell Death Family Member That Activates NF-kB," <u>Journal of Biological Chemistry</u> 274(19):12955-12958 (1999).
WED	NOV 2 2 2002 CENTER 1600/290	Damiano et al., "CLAN, a Novel Human CED-4-like Gene," Genomics 75:77-83 (2001).
SECE	NOV 2 2	Geddes et al., "Human CARD12 Is a Novel CED4/Apaf-1 Family Member That Induces Apoptosis," <u>Biochemical and Biophysical Research Communications</u> 284:77-82 (2001).
		Hofmann et al., "The CARD domain: a new apoptotic signalling motif," TIBS 22(5):155-156 (1997).
		Kobe and Deisenhofer, "Proteins with leucine-rich repeats," <u>Current Opinion in Structural Biology</u> , 3(5):409-416 (1995).
		Koonin and Aravind, "The NACHT family - a new group of predicted NTPases implicated in apoptosis and MHC transcription activation," <u>TIBS</u> 25(5):223-224 (2000).
		Ogura et al., "Nod2, a Nod1/Apag-1 Family Member That Is Restricted to Monocytes and Activates NF-kB," <u>Journal of Biological Chemistry</u> 276(7):4812-4818 (2001).
		Poyet et al., "Identification of Ipaf, a Human Caspase-1-activating" Protein Related to Apaf-1," <u>Journal of Biological Chemistry</u> 276:28309-28313 (2001).
	N	Rychlewski et al., "Comparison of sequence profiles. Strategies for structural predictions using sequence information," Protein Science 9:232-241 (2000).

EXAMINER	DATE CONSIDERED
/	114/09



Page 3 of 3

Form 1050 1449	US Departm nt of Commerce Patent		SERIAL NO. 09/864,921
	and Trademark Office	APPLICANT: Reed et al.	
INFORMATION DISTATEMENT BY A		FILING DATE: May 23, 2001	GROUP: 1631

		V		Stapleton et al., "The crystal structure of an Eph receptor SAM domain reveals a mechanism for modular dimerization," Nature Structural Biology 6(1):44-49 (1999).
4	2	<u>}</u>	006	Database Accession No. AC007728, DATABASE EMBL, "Homo sapiens chromosome 16 clone RP11-327f22, complete sequence" (June 7, 1999).
	<u>u</u> >	2 2002	'R 1600/2900	Database Accession No. AC010968, DATABASE EMBL, "Homo sapiens chromosome 2 clone RP11-9302, WORKING DRAFT SEQUENCE, 11 unordered pieces" (September 29, 1999).
REC	)	NOA-	CONTER!	Database Accession No. AC016492, DATABASE EMBL, "Homo sapiens chromosome 4 clone RP11-94C22 map 4, LOW-PASS SEQUENCE SAMPLING" (December 10, 1999).
		4	ובח	Database Accession No. AC025758, DATABASE EMBL, "Homo sapiens chromosome 5 clone CTD-2235A13, WORKING DRAFT SEQUENCE, 16 ordered pieces" (March 16, 2000).
				Database Accession No. AC026732, DATABASE EMBL, "Homo sapiens chromosome 5 clone CTD-2303L1, complete sequence" (March 24, 2000).
		1	_	Database Accession No. AQ534686, DATABASE EMBL, "Homo sapiens genomic clone RPCI-11-384F21, genomic survey sequence," (May 18, 1999).

EXAMINER	DATE CONSIDERED / /
	1/4/09